

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

PM82/0518

F DREXEL FEELING
JONES DAY REAVIS AND POGUE
NORTH POINT
901 LAKESIDE AVENUE
CLEVELAND OH 44114

APPLIC	ATION NO.	I NO. FILING DATE		TOTAL CLAIMS		EXAMINER AND	DATE MAILED		
	09/228,8	345	01/12/	99	014	NICHOLSON,	E	3627	05/18/0
First Named Applicant	METCAL	FE,			25	∜ SC 154(b) te	erm ext. =	0 Days	

TITLE OF INVENTION

COUPLING ASSEMBLY HAVING ENHANCED AXIAL TENSION STRENGTH

A	ATTY'S DOC	KET NO.	CLASS-SUBC	LASS	BATCH NO.	, APPLN. T	YPE	SMALL E	VTITY	FEE DUE		DATE DUE
-	3	350340	800004	285-	305.000	G43	UTI	LITY	NO	\$1240	.00	08/20/0

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. <u>THIS STATUTORY PERIOD CANNOT BE EXTENDED.</u>

HOW TO RESPOND TO THIS NOTICE:

- I. Review the SMALL ENTITY status shown above.

 If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
 - B. If the status is the same, pay the FEE DUE shown above.
- If the SMALL ENTITY is shown as NO:
- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with payment of 1/2 the FEE DUE shown above.
- II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give application number and batch number.

 Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PATENT AND TRADEMARK OFFICE COPY

	Application	No.	Applicant(s)								
`	09/228,845		METCALFE ET AL.								
Notice of Allowability	Examiner		Art Unit	Unit							
	Eric K Nichol	son	3627								
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.											
1. This communication is responsive to the request for CPA and amendment filed 4-17-01.											
2. X The allowed claim(s) is/are 16-29.											
3. X The drawings filed on 15 November 2000 are acceptable a	is formal drawi	ngs.									
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:											
1. Certified copies of the priority documents have been received.											
2. Certified copies of the priority documents have been received in Application No											
3. Copies of the certified copies of the priority documents have been received in this national stage application from the											
International Bureau (PCT Rule 17.2(a)).											
* Certified copies not received:											
5. Acknowledgement is made of a claim for domestic priority to	under 35 U.S.C), § 119(e).									
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of the FOR SUBMITTING NEW FORMAL DRAWINGS, OR A SUBSTICOMPLYING WITH THE DEPOSIT OF BIOLOGIES.	this applicatior TUTE OATH (THIS THREE-MON OR DECLARATION. 	NTH PERIOD IS NOT This three-month pe	FEXTENDABLE eriod for							
 Note the attached EXAMINER'S AMENDMENT or NOTICE the oath or declaration is deficient. A SUBSTITUTE OAT 				reason(s) why							
 7. Applicant MUST submit NEW FORMAL DRAWINGS (a) including changes required by the Notice of Draftsperson's Patent Drawing Review(PTO-948) attached 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing correction filed, which has been approved by the examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No 											
(c) including changes required by the attached Examiner	s Amendment	/ Comment of in the C	of the action of Faper	NO							
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.											
8. Note the attached Examiner's comment regarding REQUIF	REMENT FOR	THE DEPOSIT OF BI	IOLOGICAL MATER	IAL.							
Any reply to this letter should include, in the upper right hand corn applicant has received a Notice of Allowance and Issue Fee Due, ALLOWANCE should also be included.											
Attachment(s)											
 1⊠ Notice of References Cited (PTO-892) 3□ Notice of Draftperson's Patent Drawing Review (PTO-948) 5⊠ Information Disclosure Statements (PTO-1449), Paper No. 9. 7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material 		2☐ Notice of Informa 4☑ Interview Summa 6☑ Examiner's Amer 8☐ Examiner's State 9☐ Other	ary (PTO-413), Pape ndment/Comment	r No							

Application/Control Number: 09/228,845

Art Unit: 3627

Part III EXAMINER'S AMENDMENT

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee.

The application has been amended as follows: In claim 26, line 1, "15" was changed to "25".

Authorization for this Examiner's Amendment was given in a telephone interview with Mr. H. Duane Switzer (reg. no. 22,431) on May 16, 2001

The following is an Examiner's Statement of Reasons for Allowance: The present invention of a tubular conduit and coupling is deemed to be an unobvious improvement over the prior art of record. The improvement includes fabricating the tubular conduit with a curved transition region between a conduit inner surface and a first coupler inner surface such that a second coupler end portions outer surface is sized for close reception within the first coupler end portion. The first coupler end portion includes a locking circumferential groove and then a sealing circumferential groove adjacent the transition region. The second coupler end also has a locking strap groove such that first and second such conduits could be connected together with the second end portion of one conduit inserted within the first end portion of the other conduit such that the locking groove on the outer

Application/Control Number: 09/228,845

Art Unit: 3627

surface of the second end of the one conduit is aligned with the inner surface locking groove of the other conduit.

Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably **accompany** the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric Nicholson whose telephone number is (703) 308-0829. The examiner can normally be reached on Tuesdays thru Fridays from 7:30 to 6:00.

ekn 05/17/01

Eric K. Nicholson
Primary Examiner
Technology Center 3600